ELECTRIC KETTLE

智能家用电水壶

小家电让生活更智能

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

中山市正太电器有限公司
Zhongshan Zhengtai Electric Appliance Co.,Ltd

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

Zhongshan Zhengtai Electric Appliance Co., Ltd. was established in 2015.It covers an area of 20000 square meters .

Long Development Experience

Specialized in production of electric kettles . We accept customization. We have professional R & D team, quality control team, and our own hardware, injection molding workshop, from products structure design ,mold development ,production and sales are all done by our self.We have Every product is produced by professional engineers and workers. It is our attitude to be strict here. Every detail is to give customers confidence. Every part and process will be tested by professional technicians to ensure the quality of products.

Professional Technical Team

Last year, our order repurchase rate reached 8 0 %, because we all earnestly implement the customer's requirements. As for the products, we have been developing them all the time. We will update new functions and exquisite appearance and recommend them to customers. In this year, I hope that we can make more progress under the leadership of customers, so as to write the best answers in the company's signboard.

Excellent Product Quality

This year, we add seamless laser welding to improve the qualified rate of products, add new testing equipment, to ensure customer satisfaction, adhering to: innovation leads the trend, quality determines the future, professional achievements of your attitude. Hand in hand to meet the best of times.

[智能创新尖端科技]

目录

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

Smart Electric Water Kettle

P2 ZT-20DW95
P3 ZT-15DW96
P4 ZT-15DW95
P5 ZT-15DW95
P6 ZT-17DJ21
P7 ZT-15DW58
P8 ZT-10DW88
P9 ZT-17DW07
P10 ZT-15DW07
P11 ZT-18DW87
P12 ZT-18DW88

Coffee Kettle

P13 ZT-DK10
P14 ZT-10DK22

Electric Coffee Kettle

P15 ZT-10DK22-1

Machine Coffee Kettle

P16 ZT-10BK10
P17 ZT-10BK10-3
P18 ZT-10BK10-2
P19 ZT-BK10
P20 ZT-DK22

New design kettle

P21 ZT-TQ10D
P22 ZT-TQ10D1
P23 ZT-TQ10D1

Glass health kettle

P24 ZT-YSH18
P25 ZT-DK10
P26 ZT-15BL95
P27 ZT-YSH16
P28 ZT-YSH16-2
P28 ZT-YSH16-2

Glass health Baby kettle

P29 ZT-MD01
P30 ZT-MD02

Kettle Set

P31 ZT-DB66
P32 ZT-DB66
P33 ZT-DB66

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

［智能电热水壶］

Smart Electric Water Kettle

ZT-20DW95

Smart insulation

Precise control

304 Stainless

PP material

2L capacity

LED display

- Capacity: 2.0L
- Power:1850W-2200W
- Voltage/Frequency:220V-240V,50/60Hz
- Controller:Sun light /Jiatai /Strix

- Material： 304 stainless steelt,plastic wrap,anti-scald. Anti-dry burning.
- With 3 Digital LED display at body , can adjust water temperature :45℃-55℃-65℃-75℃-85 ℃ for milk , coffe , tea .. Automatic keep warm

  Boil water 100 degree with one key ,operation easy
- Power cord:0.75m㎡ copper, 80mm length;

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.16kg	1.48kg	205*205*285mm	635*425*590mm	20 GP: 2100 PCS 40 GP:4200 PCS 40 HQ:4800 PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

［智能电热水壶］

mart Electric Water Kettle

ZT-15DW96

Smart insulation

Precise control

304 Stainless

PP material

1.5L capacity

LED display

- Capacity:1.5L
- Power:1850W-2200W
- Voltage/Frequency:220V-240V,50/60Hz
- Controller:Sun light /Jiatai /Strix
- Material：304 stainless steel,plastic wrap,anti-scald. Anti-dry burning
- With 3 Digital LED display at body ，can adjust water temperature :45℃-55℃-65℃-75℃-85 ℃ for milk , coffe , tea .. Automatic keep warm

  Boil water 100 degree with one key ,operation easy
- Power cord:0.75m㎡ copper, 80mm length;

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.02KG	1.3KG	205*205*265mm	635*425*590mm	20 GP: 2440PCS 40 GP:4880PCS 40 HQ:5100PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[智能电热水壶]

mart Electric Water Kettle

ZT-15DW95

Smart insulation

Precise control

304 Stainless

PP material

1.5L capacity

LED display

- Capacity:1.5L
- Power:1850W-2200W
- Voltage/Frequency:220V-240V,50/60Hz
- Controller:Sun light /Jiatai /Strix
- Material：304 stainless steel,plastic wrap,anti-scald. Anti-dry burning
- With 3 Digital LED display at body , can adjust water temperature :45℃-55℃-65℃-75℃-85 ℃ for milk , coffe , tea .. Automatic keep warm

  Boil water 100 degree with one key ,operation easy
- Power cord:0.75m㎡ copper, 80mm length;

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.02KG	1.3KG	205*205*265mm	635*425*590mm	20 GP: 2440PCS 40 GP:4880PCS 40 HQ:5100PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

［智能电热水壶］

Smart Electric Water Kettle

ZT-15DW95

- Capacity:1.0L
- Power:1000W
- Voltage/Frequency:220V-240V,50/60Hz
- Controller:Sun light /Jiatai /Strix

- Material： 304 stainless steel,plastic wrap,anti-scald. Anti-dry burning
- With 3 Digital LED display at body , can adjust water temperature :45 ℃-55℃-65℃-75℃-85 ℃ for milk , coffee , tea .. Automatic keep warm 7: Boil water 100 degree with one key ,operation easy
- Power cord:0.75m㎡ copper, 80mm length;

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.0KG	1.25KG	205*205*265mm	635*425*590mm	20 GP: 2440PCS 40 GP:4880PCS 40 HQ:5100PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

ZT-17DJ21

［智能电热水壶］

mart Electric Water Kettle

Smart insulation

Precise control

SUS 304

304 Stainless

PP

PP material

1.7L capacity

00:00

LED display

- Capacity:1.7L
- Power:1500W
- Voltage/Frequency:220V-240V,50/60Hz
- Controller:Sun light /Jiatai /Strix
- Material：304 stainless steel,plastic wrap,anti-scald. Anti-dry burning
- With 3 Digital LED display at body , can adjust water temperature :45 ℃-55℃-65℃-75℃-85 ℃ for milk , coffee , tea .. Automatic keep warm 7: Boil water 100 degree with one key ,operation easy
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.1KG	1.42KG	205*205*265mm	635*425*590mm	20 GP: 1994PCS 40 GP:3988PCS 40 HQ:4200PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

［智能电热水壶］

Smart Electric Water Kettle

ZT-15DW96

Smart insulation

Anti-scald

SUS 304

304 Stainless

Automatic power-off

1.5L capacity

00:00

LED display

- Capacity:1.5L
- Power:1850W-2200W
- Voltage/Frequency:220V-240V,50/60Hz
- Controller:Sun light /Jiatai /Strix
- Material：304 stainless steel,plastic wrap,anti-scald. Anti-dry burning
- With 3 Digital LED display at body , can adjust water temperature :45℃-55℃-65℃-75℃-85 ℃ for milk , coffe , tea .. Automatic keep warm

  Boil water 100 degree with one key ,operation easy
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.25KG	1.5KG	205*205*265mm	635*425*590mm	20 GP: 1994PCS 40 GP:3988PCS 40 HQ:4200PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[智能电热水壶]

Smart Electric Water Kettle

ZT-10DW88

Smart insulation

Anti-scald

SUS
304

304 Stainless

Automatic power-off

1.0L capacity

00:00

LED display

- Capacity:1.0L
- Power:800W
- Voltage/Frequency:220V-240V,50/60Hz
- Controller:Sun light /Jiatai /Strix
- Material：304 stainless steel,plastic wrap,anti-scald. Anti-dry burning
- With 3 Digital LED display at body , can adjust water temperature :45℃-55℃-65℃-75℃-85 ℃ for milk , coffee , tea .. Automatic keep warm 7: Boil water 100 degree with one key ,operation easy
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
0.8KG	1KG	210*190*232mm	590*435*484mm	20 GP: 2688PCS 40 GP:5376PCS 40 HQ:6528PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

［智能电热水壶］

Smart Electric Water Kettle

ZT-17DW07

Smart insulation

Anti-scald

304

304 Stainless

Automatic power-off

1.7L capacity

00:00

LED display

- Capacity:1.7L
- Power:1850-2200W
- Voltage/Frequency:220V-240V,50/60Hz
- Controller:Sun light /Jiatai /Strix
- Material：304 stainless steel,plastic wrap,anti-scald. Anti-dry burning
- With 3 Digital LED display at body , can adjust water temperature :45℃-55℃-65℃-75℃-85 ℃ for milk , coffee , tea .. Automatic keep warm 7: Boil water 100 degree with one key ,operation easy
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.2KG	1.5KG	205*205*310mm	635*425*640mm	20 GP: 1956PCS 40 GP:3988PCS 40 HQ:4200PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

［智能电热水壶］

Smart Electric Water Kettle

ZT-15DW07

Smart insulation

Anti-scald

SUS 304

304 Stainless

Automatic power-off

1.7L capacity

00:00

LED display

- Capacity:1.7L
- Power:1850-2200W
- Voltage/Frequency:220V-240V,50/60Hz
- Controller:Sun light /Jiatai /Strix
- Material：304 stainless steel,plastic wrap,anti-scald. Anti-dry burning
- With 3 Digital LED display at body , can adjust water temperature :45℃-55℃-65℃-75℃-85 ℃ for milk , coffee , tea .. Automatic keep warm 7: Boil water 100 degree with one key ,operation easy
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.2KG	1.5KG	205*205*310mm	635*425*640mm	20 GP: 1956PCS 40 GP:3988PCS 40 HQ:4200PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

［智能电热水壶］

Smart Electric Water Kettle

ZT-18DW87

Smart insulation

Anti-scald

SUS 304

304 Stainless

Automatic power-off

1.7L capacity

00:00

LED display

- Capacity:1.7L
- Power:1850-2200W
- Voltage/Frequency:220V-240V,50/60Hz
- Controller:Sun light /Jiatai /Strix

- Material：304 stainless steel,plastic wrap,anti-scald. Anti-dry burning
- With 3 Digital LED display at body ，can adjust water temperature :45℃-55℃-65℃-75℃-85 ℃ for milk , coffee , tea .. Automatic keep warm 7: Boil water 100 degree with one key ,operation easy
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.0KG	1.3KG	200*200*305mm	620*415*630mm	20 GP: 1956PCS 40 GP:3988PCS 40 HQ:4200PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

ZT-18DW88

［智能电热水壶］

mart Electric Water Kettle

Smart insulation

Anti-scald

304 Stainless

Automatic power-off

1.7L capacity

LED display

- Capacity:1.7L
- Power:1850-2200W
- Voltage/Frequency:220V-240V,50/60Hz
- Controller:Sun light /Jiatai /Strix

- Material： 304 stainless steel,plastic wrap,anti-scald. Anti-dry burning
- With 3 Digital LED display at body , can adjust water temperature :45 ℃-55℃-65℃-75℃-85 ℃ for milk , coffee , tea .. Automatic keep warm 7: Boil water 100 degree with one key ,operation easy
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.0KG	1.3KG	200*200*305mm	620*415*630mm	20 GP: 1956PCS 40 GP:3988PCS 40 HQ:4200PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

ZT-DK10

- Capacity:1.0L
- Power:1200W
- Voltage/Frequency:220V-240V,50/60Hz
- LCD 4digital show, temperature stick out a mile
- Five level temperature adjust (present temperature at panel)

Green Tea 175°F /75℃-White Tea 185°F /85℃-Oolong Tea 190°F/88℃-Coffee 200°F/93℃-Black Tea 212°F/100℃

- With keep warm function, keep warm time can choose , best long 4H , Count-down time
- Keep warm temperature can per as your requirement set
- With loudspeaker mute function ,can set at night knob buttons have no sound and don't disturb anyone else
- The shape design is high-end, with a swan neck spout and fine and uniform water flow
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.0KG	1.25KG	229*200*220mm	555*395*460mm	20 GP: 2240PCS 40 GP:4480PCS 40 HQ:5440PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[咖啡水壶]

Coffee Kettle

ZT-10DK22

- Capacity:1.0L
- Power:1200W
- Voltage/Frequency:220V-240V,50/60Hz
- LCD 4digital show, temperature stick out a mile
- Five level temperature adjust (present temperature at panel)

Green Tea 175°F /75℃-White Tea 185°F /85℃-Oolong Tea 190°F/88℃-Coffee 200°F/93℃-Black Tea 212°F/100℃

- With keep warm function, keep warm time can choose , best long 4H , Count-down time
- Keep warm temperature can per as your requirement set
- With loudspeaker mute function ,can set at night knob buttons have no sound and don't disturb anyone else
- The shape design is high-end, with a swan neck spout and fine and uniform water flow
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.0KG	1.25KG	229*200*220mm	555*395*460mm	20 GP: 2240PCS 40 GP:4480PCS 40 HQ:5440PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[电子式咖啡水壶]

Electric Coffee Kettle

ZT-10DK22-1

- Capacity:1.0L
- Power:1200W
- Voltage/Frequency:220V-240V,50/60Hz
- LCD 4digital show, temperature stick out a mile
- Five level temperature adjust (present temperature at panel)

Green Tea 175°F /75℃-White Tea 185°F /85℃-Oolong Tea 190°F/88℃-Coffee 200°F/93℃-Black Tea 212°F/100℃

- With keep warm function, keep warm time can choose , best long 4H , Count-down time
- Keep warm temperature can per as your requirement set
- With loudspeaker mute function ,can set at night knob buttons have no sound and don't disturb anyone else
- The shape design is high-end, with a swan neck spout and fine and uniform water flow
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.0KG	1.25KG	229*200*220mm	555*395*460mm	20 GP: 2240PCS 40 GP:4480PCS 40 HQ:5440PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[机械式咖啡水壶]

Machine Coffee Kettle

ZT-10BK10

One-click open

Intelligent insulation

Seamless liner

Automatic power-off

Indicator light

SUS 304

304 Stainless

- Capacity:1.0L
- Power:1000W
- Voltage/Frequency:220V-240V,50/60Hz
- Machine control kettle , easy operation .popular design
- The shape design is high-end, with a swan neck spout and fine and uniform water flow
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
0.9KG	1.1KG	270*170*217mm	555*530*454mm	20 GP: 2400PCS 40 GP:4800PCS 40 HQ:5820PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

ZT-10BK10-3

[机械式咖啡水壶]

Machine Coffee Kettle

One-click open

Intelligent insulation

Seamless liner

Automatic power-off

Indicator light

SUS 304

304 Stainless

- Capacity:1.0L
- Power:1000W
- Voltage/Frequency:220V-240V,50/60Hz
- Machine control kettle , easy operation .popular design
- The shape design is high-end, with a swan neck spout and fine and uniform water flow
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
0.9KG	1.1KG	270*170*217mm	555*530*454mm	20 GP: 2400PCS 40 GP:4800PCS 40 HQ:5820PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

ZT-10BK10-2

[机械式咖啡水壶]

Machine Coffee Kettle

One-click open

Intelligent insulation

Seamless liner

Automatic power-off

Indicator light

SUS 304

304 Stainless

- Capacity:1.0L
- Power:1000W
- Voltage/Frequency:220V-240V,50/60Hz
- Machine control kettle , easy operation .popular design
- The shape design is high-end, with a swan neck spout and fine and uniform water flow
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
0.9KG	1.1KG	270*170*217mm	555*530*454mm	20 GP: 2400PCS 40 GP:4800PCS 40 HQ:5820PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[机械式咖啡水壶]

Machine Coffee Kettle

ZT-BK10

One-click open

Intelligent insulation

Seamless liner

Automatic power-off

Indicator light

SUS 304

304 Stainless

- Capacity:1.0L
- Power:1000W
- Voltage/Frequency:220V-240V,50/60Hz
- Machine control kettle , easy operation .popular design
- The shape design is high-end, with a swan neck spout and fine and uniform water flow
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
0.9KG	1.1KG	270*170*217mm	555*530*454mm	20 GP: 2400PCS 40 GP:4800PCS 40 HQ:5820PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

ZT-DK22

[机械式咖啡水壶]

Machine Coffee Kettle

One-click open

Intelligent insulation

Seamless liner

Automatic power-off

Indicator light

SUS 304

304 Stainless

- Capacity:1.0L
- Power:1000W
- Voltage/Frequency:220V-240V,50/60Hz
- Machine control kettle , easy operation .popular design
- The shape design is high-end, with a swan neck spout and fine and uniform water flow
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
0.9KG	1.1KG	270*170*217mm	555*530*454mm	20 GP: 2400PCS 40 GP:4800PCS 40 HQ:5820PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[新款水壶]

New design kettle

ZT-TQ10D

- Capacity:1.0L
- Power:1000W
- Voltage/Frequency:220V-240V,50/60Hz
- LCD 4digital show ,temperature stick out a mile
- Five level temperature adjust (present temperature at panel)

Green Tea 175°F /75℃-White Tea 185°F /85℃-Oolong Tea 190°F/88℃-Coffee 200°F/93℃-Black Tea 212°F/100℃

- With keep warm function , keep warm time can choose , best long 4H , Countdown time
- Keep warm temperature can per as your requirement set
- With loudspeaker mute function ,can set at night knob buttons have no sound and don't disturb anyone else
- The shape design is high-end, with a swan neck spout and fine and uniform water flow
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.1KG	1.35KG	215*185*270mm	575*445*560mm	20 GP: 2560PCS 40 GP:5208PCS 40 HQ:6024PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[新款水壶]

New design kettle

ZT-TQ10D1

One-click open

Intelligent insulation

Seamless liner

Automatic power-off

Indicator light

SUS 304

304 Stainless

- Capacity:1.0L
- Power:1000W
- Voltage/Frequency:220V-240V,50/60Hz
- Machine control kettle , easy operation .popular design
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.0KG	1.3KG	215*185*270mm	575*445*560mm	20 GP: 2560PCS 40 GP:5208PCS 40 HQ:6024PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[新款水壶]

New design kettle

ZT-TQ10D1

One-click open

Intelligent insulation

Seamless liner

Automatic power-off

Indicator light

SUS 304

304 Stainless

- Capacity:1.0L
- Power:1000W
- Voltage/Frequency:220V-240V,50/60Hz
- Machine control kettle , easy operation .popular design
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.0KG	1.1KG	215*185*270mm	575*445*560mm	20 GP: 2560PCS 40 GP:5208PCS 40 HQ:6024PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[玻璃养生壶]

Glass health kettle

ZT-YSH18

100
LED display

Intelligent insulation

Seamless liner

Automatic power-off

Borosilicate glass

SUS 304
304 Stainless

- Capacity:1.5L
- Power:1200W
- Voltage/Frequency:220V-240V,50/60Hz
- LCD 4digital show ,temperature stick out a mile popular design
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.23KG	1.59KG	275*213*260mm	565*441*540mm	20 GP: 1816PCS 40 GP:3696PCS 40 HQ:4080PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

ZT-DK10

[玻璃养生壶]

Glass health kettle

100

LED display

Intelligent insulation

Seamless liner

Automatic power-off

Borosilicate glass

SUS 304

304 Stainless

- Capacity:1.5L
- Power:1200W
- Voltage/Frequency:220V-240V,50/60Hz
- LED 3digital show
- Have 5 level temperature adjust 45-55-65-75-100 degree
- With plastic housing +glass inner tanl anti-scald
- The appearance design is fashionable
- Keep warm function 4 H , per as we want choose 5 keep warm temperature
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.37KG	1.65KG	275*213*278mm	565*441*576mm	20 GP: 1600PCS 40 GP:3360PCS 40 HQ:3840PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

ZT-15BL95

[玻璃养生壶]

Glass health kettle

LED display

Intelligent insulation

Seamless liner

Automatic power-off

Borosilicate glass

SUS 304

304 Stainless

- Capacity:1.5L
- Power:1200W
- Voltage/Frequency:220V-240V,50/60Hz
- LED 3digital show
- Have 5 level temperature adjust 45-55-65-75-100 degree
- With plastic housing +glass inner tanl anti-scald
- The appearance design is fashionable
- Keep warm function 4H , per as we want choose 5 keep warm temperature
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.13KG	1.23KG	205*205*265mm	635*425*540	20 GP: 2268PCS 40 GP:4536PCS 40 HQ:5508PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[玻璃养生壶]

Glass health kettle

ZT-YSH16

LED display

Intelligent insulation

Seamless liner

Automatic power-off

Borosilicate glass

304 Stainless

- Capacity:1.5L
- Power:1200W
- Voltage/Frequency:220V-240V,50/60Hz
- LED 3digital show

- Have 5 level temperature adjust 45-55-65-75-100 degree
- With plastic housing +glass inner tanl anti-scald
- The appearance design is fashionable
- Keep warm function 4H , per as we want choose 5 keep warm temperature
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.13KG	1.23KG	205*205*265mm	635*425*540	20 GP: 2268PCS 40 GP:4536PCS 40 HQ:5508PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[玻璃养生壶]

Glass health kettle

ZT-YSH16-2

100

LED display

Intelligent insulation

Seamless liner

Automatic power-off

Borosilicate glass

SUS 304

304 Stainless

- Capacity:1.5L
- Power:1200W
- Voltage/Frequency:220V-240V,50/60Hz
- LED 3digital show
- Have 5 level temperature adjust 45-55-65-75-100 degree
- With plastic housing +glass inner tanl anti-scald
- The appearance design is fashionable
- Keep warm function 4H , per as we want choose 5 keep warm temperature
- Power cord:0.75m㎡ copper, 80mm length

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.13KG	1.23KG	205*205*265mm	635*425*540	20 GP: 2268PCS 40 GP:4536PCS 40 HQ:5508PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

ZT-MD01

［宝宝玻璃水壶］

Glass health baby kettle

- Capacity:1.2L
- Power:800W
- Voltage/Frequency:220V-240V,50/60Hz
- Glass kettle , can separate convenient cleaning ;for baby's drinking health
- Functions :Milk Blending,keep warm ,Dechlorination, health preservation, can set temperature .
- LED display show temperature , 4 digital
- Material： glass integration safety materials , +plastic handle and pedestal
- Power cord:0.75m㎡ copper, plug+line 85cm length;Korea plug
- Touch panel , operation simple , equipped with indicator light
- Rapid heating and boiling , high temperature ,dry burning protection ,with cold fan function

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.6KG	1.73KG	310*250*210mm	770*320*540	20 GP: 1340PCS 40 GP:2680PCS 40 HQ:3000PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[宝宝玻璃水壶]

Glass health baby kettle

ZT-MD02

- Capacity:1.2L
- Power:800W
- Voltage/Frequency:220V-240V,50/60Hz
- Glass kettle , can separate convenient cleaning ;for baby's drinking health
- Functions :Milk Blending,keep warm ,Dechlorination, health preservation, can set temperature .
- LED display show temperature , 4 digital
- Material： glass integration safety materials , +plastic handle and pedestal
- Power cord:0.75m㎡ copper, plug+line 85cm length;Korea plug
- Touch panel , operation simple , equipped with indicator light
- Rapid heating and boiling , high temperature ,dry burning protection ,with cold fan function

N/G	G/W	GB SIZE	12/CARTON SIZE	20GP/40GP/40HQ
1.6KG	1.73KG	310*250*210mm	770*320*540	20 GP: 1340PCS 40 GP:2680PCS 40 HQ:3000PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[套装水壶]

Kettle Set

ZT-DB66





- Capacity:1.2L
- Power:800W
- Voltage/Frequency:220V /60Hz
- Glass kettle , can separate convenient cleaning ;for baby's drinking health
- Functions :Milk Blending,keep warm ,Dechlorination, health preservation, can set temperature
- LED display show temperature , 4 digital
- Material： glass integration safety materials , +plastic handle and pedestal
- Power cord:0.75m㎡ copper, plug+line 85cm length;Korea plug
- Touch panel , operation simple , equipped with indicator light
- Rapid heating and boiling , high temperature ,dry burning protection ,with cold fan function

N/G	G/W	GB SIZE	6/CARTON SIZE	20GP/40GP/40HQ
2.8kg	3.43kg	420*245*295mm	755*432*610mm	20 GP: 840PCS 40 GP:1800PCS 40 HQ:2088PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

[套装水壶]

Kettle Set

ZT-DB66





- Capacity:1.2L
- Power:800W
- Voltage/Frequency:220V /60Hz
- Glass kettle , can separate convenient cleaning ;for baby's drinking health
- Functions :Milk Blending,keep warm ,Dechlorination, health preservation, can set temperature
- LED display show temperature , 4 digital
- Material： glass integration safety materials , +plastic handle and pedestal
- Power cord:0.75m㎡ copper, plug+line 85cm length;Korea plug
- Touch panel , operation simple , equipped with indicator light
- Rapid heating and boiling , high temperature ,dry burning protection ,with cold fan function

N/G	G/W	GB SIZE	8/CARTON SIZE	20GP/40GP/40HQ
2.74KG	3.42KG	420*245*305mm	755*435*630mm	20 GP: 882PCS 40 GP:1248PCS 40 HQ:2040PCS

Get a Rapid Factory-Direct Quote Within 24 Hours
Adrian@yolec-electronics.com
https://www.yolec-electronics.com
https://www.linkedin.com/in/adrian2010/
https://www.youtube.com/@yolec-electric-adrian

ZT-DB66

［套装水壶］

Kettle Set





- Capacity:1.2L
- Power:800W
- Voltage/Frequency:220V /60Hz
- Glass kettle , can separate convenient cleaning ;for baby's drinking health
- Functions :Milk Blending,keep warm ,Dechlorination, health preservation, can set temperature
- LED display show temperature , 4 digital
- Material： glass integration safety materials , +plastic handle and pedestal
- Power cord:0.75m㎡ copper, plug+line 85cm length;Korea plug
- Touch panel , operation simple , equipped with indicator light
- Rapid heating and boiling , high temperature ,dry burning protection ,with cold fan function

N/G	G/W	GB SIZE	8/CARTON SIZE	20GP/40GP/40HQ
3.0KG	3.7KG	430*235*295mm	725*442*610mm	20 GP: 918PCS 40 GP:1842PCS 40 HQ:2154PCS

Get a Rapid Factory-Direct Quote Within 24 Hours

Adrian@yolec-electronics.com

https://www.yolec-electronics.com

https://www.linkedin.com/in/adrian2010/

https://www.youtube.com/@yolec-electric-adrian